EAST Search History

EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S 4	56	("370"/\$.CCLS.) AND (((multi OR multiple OR plurality OR many OR (more ADJ2 (one OR two OR three)) OR several) ADJ3 (stag\$4 OR layer \$4)) WITH (pointer OR pointing)) AND @ad<"20040812"	US- PGPUB; USPAT	OR	ON	2010/11/22 16:10
S 6	744	("370"/\$.CCLS.) AND ((linked) NEAR3 (pointer OR pointing)) AND @ad<"20040812"	US- PGPUB; USPAT	OR	ON	2010/11/22 16:12
S7	88	("370"/\$.CCLS.) AND (pointer ADJ3 ((points OR pointing) ADJ3 pointer)) AND @ad<"20040812"	US- PGPUB; USPAT	OR	ON	2010/11/22 16:13
S8	267	("370"/\$.CCLS.) AND (pointer ADJ3 ((identify\$4 OR identity OR identifier OR identification OR id OR address\$4) ADJ3 pointer)) AND @ad<"20040812"	US- PGPUB; USPAT	OR	ON	2010/11/22 16:15
S9	113	("370"/\$.CCLS.) AND ((stage OR tier) NEAR3 pointer) AND @ad<"20040812"	US- PGPUB; USPAT	OR	ON	2010/11/22 16:23
S10	46	("370"/\$.CCLS.) AND (((stage OR tier) NEAR3 pointer) AND (multicast\$4 OR (multi ADJ2 cast\$4) OR (broad ADJ2 cast\$4) OR broadcast\$4)) AND @ad<"20040812"	US- PGPUB; USPAT	OR	ON	2010/11/22 16:45
S13	3	("370"/\$.CCLS.) AND (tier NEAR3 pointer) AND @ad<"20040812"	US- PGPUB; USPAT	OR	ON	2010/11/22 16:51

S14	95	("370"/\$.CCLS.) AND ((pointer ADJ3 ((identify \$4 OR identity OR identifier OR identification OR id OR address\$4) ADJ3 pointer)) AND (multicast\$4 OR (multi ADJ2 cast\$4) OR (broad ADJ2 cast\$4) OR broadcast\$4)) AND @ad<"20040812"	US- PGPUB; USPAT	OR	ON	2010/11/22 16:52
S15	1288	("370"/\$.CCLS.) AND (point\$4 ADJ3 single) AND @ad<"20040812"	US- PGPUB; USPAT	OR	ON	2010/11/22 16:55
S16	11	("370"/\$.CCLS.) AND (pointer ADJ3 (point\$4 ADJ3 single)) AND @ad<"20040812"	US- PGPUB; USPAT	OR	ON	2010/11/22 16:57
S20	123	("370"/\$.CCLS.) AND (point\$4 ADJ3 ("same" ADJ3 pointer)) AND @ad<"20040812"	US- PGPUB; USPAT	OR	ON	2010/11/22 17:06
S23	106	("370"/\$.CCLS.) AND (pointing ADJ3 "same") AND @ad<"20040812"	US- PGPUB; USPAT	OR	ON	2010/11/22 17:07
S24	41	("370"/\$.CCLS.) AND (pointer ADJ3 ((referenc \$4 OR identify\$4 OR identity OR identifier OR identification OR id OR address\$4) ADJ3 "same")) AND @ad<"20040812"	US- PGPUB; USPAT	OR	ON	2010/11/22 17:09
S26	215	((pointing ADJ3 "same") AND (multicast\$4 OR (multi ADJ2 cast\$4) OR (broad ADJ2 cast\$4) OR broadcast\$4)) AND @ad<"20040812"	US- PGPUB; USPAT	OR	ON	2010/11/22 17:38
S30	643	("370"/\$.CCLS.) AND ((multicast\$4 OR (multi ADJ2 cast\$4) OR (broad ADJ2 cast\$4) OR broadcast\$4) AND ((buffer \$4 OR queu\$4) SAME (point\$4 ADJ3 (one OR single)))) AND @ad<"20040812"	US- PGPUB; USPAT	OR	ON	2010/12/01 14:07

S31	261	("370"/\$.CCLS.) AND ((multicast\$4 OR (multi ADJ2 cast\$4) OR (broad ADJ2 cast\$4) OR broadcast\$4) AND ((buffer \$4 OR queu\$4) SAME (point\$4 ADJ (one OR single)))) AND @ad<"20040812"	US- PGPUB; USPAT	OR	ON	2010/12/01 14:10
S32	283	(370/412-418,428-432,471-474.CCLS.) AND ((multicast\$4 OR (multi ADJ2 cast\$4) OR (broad ADJ2 cast\$4) OR broadcast\$4) AND ((buffer \$4 OR queu\$4) SAME (point\$4 ADJ3 (one OR single)))) AND @ad<"20040812"	US- PGPUB; USPAT	OR	ON	2010/12/01 14:12
S34	362	(370/412-418,428- 432,471-474.CCLS.) AND ((multicast\$4 OR (multi ADJ2 cast\$4) OR (broad ADJ2 cast\$4) OR broadcast\$4) SAME ((buffer\$4 OR queu\$4) SAME point\$4)) AND @ad<"20040812"	US- PGPUB; USPAT	OR	ON	2010/12/01 14:49
\$35	283	(370/412-418,428-432,471-474.CCLS.) AND ((multicast\$4 OR (multi ADJ2 cast\$4) OR (broad ADJ2 cast\$4) OR broadcast\$4) AND ((buffer \$4 OR queu\$4) SAME (point\$4 ADJ3 (one OR single)))) AND @ad<"20040812"	US- PGPUB; USPAT	OR	ON	2010/12/01 14:49
S 37	50	(370/390.CCLS.) AND ((multicast\$4 OR (multi ADJ2 cast\$4) OR (broad ADJ2 cast\$4) OR broadcast\$4) AND ((buffer \$4 OR queu\$4) SAME (point\$4 ADJ3 (one OR single)))) AND @ad<"20040812"	US- PGPUB; USPAT	OR	ON	2010/12/01 14:55

S38	133	(370/390.CCLS.) AND ((multicast\$4 OR (multi ADJ2 cast\$4) OR (broad ADJ2 cast\$4) OR broadcast\$4) SAME ((buffer\$4 OR queu\$4) SAME point\$4)) AND @ad<"20040812"	US- PGPUB; USPAT	OR	ON	2010/12/01 14:56
S40	410	(((multicast\$4 OR (multi ADJ2 cast\$4) OR (broad ADJ2 cast\$4) OR broadcast\$4) NEAR3 (identify\$4 OR identity OR identifier OR identification OR id OR address\$4 OR packet OR frame OR segment OR cell OR message OR (data NEAR unit) OR pdu)) AND (indicator OR indicater OR descripter OR descriptor OR point\$4) AND (buffer \$4 OR queue\$4) AND ("same" OR set OR array OR order)).CLM.	US- PGPUB; USPAT	OR	ON	2010/12/01 15:07
S41	236	(((yongxiang OR (yong ADJ2 xiang)) NEAR3 han) OR (wei NEAR3 shao) OR (jian NEAR3 dou) OR (hang NEAR3 yuan) OR (jun NEAR3 tang)).IN.	US- PGPUB; USPAT	OR	ON	2010/12/01 15:11
S42	13	(370/390,412-418,428-432,471-474.CCLS.) AND ((multicast\$4 OR (multi ADJ2 cast\$4) OR (broad ADJ2 cast\$4) OR broadcast\$4) AND (pointed ADJ3 (multiple OR (more ADJ3 (one OR two OR three)) OR many OR several OR plurality OR group))) AND @ad<"20040812"	US- PGPUB; USPAT	OR	ON	2010/12/01 16:51

S43	36	("370"/\$.CCLS.) AND	US-	OR	ON	2010/12/01
		((multicast\$4 OR (multi	PGPUB;			16:51
		ADJ2 cast\$4) OR (broad	USPAT			
		ADJ2 cast\$4) OR				
		broadcast\$4) AND				
		(pointed ADJ3 (multiple				
		OR (more ADJ3 (one OR				
		two OR three)) OR many				
		OR several OR plurality				
		OR group))) AND				
		@ad<"20040812"				

EAST Search History (Interference)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S44	109	(((yongxiang OR (yong ADJ2 xiang)) NEAR3 han) OR (wei NEAR3 shao) OR (jian NEAR3 dou) OR (hang NEAR3 yuan) OR (jun NEAR3 tang)).IN.	USPAT; UPAD	OR	ON	2010/12/01 15:12
S 45	202	(((multicast\$4 OR (multi ADJ2 cast\$4) OR (broad ADJ2 cast\$4) OR (broad ADJ2 cast\$4) OR broadcast\$4) NEAR3 (identify\$4 OR identifier OR identification OR id OR address\$4 OR packet OR frame OR segment OR cell OR message OR (data NEAR unit) OR pdu)) AND (indicator OR indicater OR descriptor OR point\$4) AND (buffer\$4 OR queue\$4) AND ("same" OR set OR array OR order)). CLM.	USPAT; UPAD	OR	ON	2010/12/02 23:07